




## 11224414 906-PA | silver

gin.o 2  
spotlight  
LED | 14 W 4000 K



- spotlight gin.o 2
- with recessed mounting plate
- for recessed installation into wall or ceiling
- passive thermo management
- with LED 1560 lm
- colour temperature: 4000 K
- colour rendering index: CRI >80
- L90 / B10 (50.000h)
- SDCM < 2
- net luminous flux: 1250 lm
- total load: 14 W
- luminous efficacy: 89,3 lm/W
- rotationsymmetrical light distribution, flood
- beam angle: 45 °
- with external LED power unit, electronic, 220-240 V, 50/60 Hz
- Dimming with external dimmers possible (trailing-edge and leading-edge)
- power supply: supply cord with plug connection 2x5x2,5 mm², length: 360 mm
- suitable for through wiring
- housing of die cast aluminium
- microprismatic filter with very high rate of light transmission
- ceiling plate of die cast aluminium
- diameter: 96 mm, recessing diameter: 83 mm
- recessing depth: 63 mm, ceiling thickness: 1-45 mm
- rotatable 360°, 90° tiltable
- weight: 1,21 kg
- protection rating: IP20
- protection class I
- 5 years Hoffmeister warranty
- Made in Germany
- maximum ambient temperature: 35 ° C
- certificates: manufactured according to DIN VDE 0711 / EN 60598, CE
- colour: silver
- 11224414 906-PA

- Overview of accessories on the following page / s

11224414 906-PA  
**accessory**

### Optional accessories

description accessory general	dimensions in mm	item number	pic.-No.
antiglare flaps for spotlights gin.a, gin.o and lo.nely size 2		103438	01
connection ring suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		103445	02
tube screen suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		103442	03
connection tube with cross louver suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		103439	04
visor suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		104748	05



### Additional optional accessory components

description accessory general	dimensions in mm	item number	pic.-No.
soft.shape lens for spotlights gin.a, gin.o and lo.nely size 2	Ø: 74	104228	01
soft.spot lens for spotlights gin.a, gin.o and lo.nely size 2	Ø: 74	103461	01
sculpture lens for spotlights gin.a, gin.o and lo.nely size 2	Ø: 74	103460	02
prismatic glass for spotlights gin.a, gin.o and lo.nely size 2	Ø: 74	104915	03
honeycomb louver for spotlights gin.a, gin.o and lo.nely size 2		103448	04
Dichroitic conversion filter daylight filter, conversion from 3000K to 5000K for spotlights gin.a, gin.o and lo.nely size 2	Ø: 74	103459	05
Dichroitic conversion filter neutral filter, conversion from 3000K to 4000K for spotlights gin.a, gin.o and lo.nely size 2	Ø: 74	103458	06
Dichroitic conversion filter warm tone filter, conversion from 3000K to 2400K for spotlights gin.a, gin.o and lo.nely size 2	Ø: 74	103457	07

11224414 906-PA  
accessory



**Possible optional accessories combinations**

item number	103448	103457	103458	103459	103460	103461	104228	104915
103438								
103445	X	X	X	X	X	X	X	X
103442	X							
103439	X							
104748								