




112 247 14 906 | silver

gin.o 2
spotlight
LED | 14 W 4000 K



- spotlight gin.o 2
- with 3 circuit universal adapter
- for Hoffmeister control.x tracks
- circuit selection is possible while adapter is inserted into the track
- passive thermo management
- with LED 1560 lm
- colour temperature: 4000 K
- colour rendering index: CRI >80
- L90 / B10 (50.000h)
- SDCM < 2
- net luminous flux: 1380 lm
- total load: 14 W
- luminous efficacy: 98,6 lm/W
- rotationsymmetrical light distribution, spot
- beam angle: 10 °
- LED power unit integrated in adapter, electronic (POTI), 220-240 V, 0/50/60 Hz
- amplitude dimming
- adapter with integrated potentiometer
- dimming range: 100-1,4 %
- housing of die cast aluminium
- adapter of fibreglass reinforced thermoplastic
- safety glass, clear
- length: 221 mm, width: 52 mm, height: 182 mm
- rotatable 360°, 90° tiltable
- weight: 1,09 kg
- protection rating: IP20
- protection class I
- 5 years Hoffmeister warranty
- Made in Germany
- maximum ambient temperature: 35 ° C
- certificates: manufactured according to DIN VDE 0711 / EN 60598, CE
- colour: silver
- 112 247 14 906

- Overview of accessories on the following page / s

112 247 14 906

accessory

Optional accessories

| description accessory general | dimensions in mm | item number | pic.-No. |
|-------------------------------------------------------------------------------------------------------------------------------|------------------|-------------|----------|
| antiglare flaps for spotlights gin.a, gin.o and lo.nely size 2 | | 103438 | 01 |
| connection ring suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2 | | 103445 | 02 |
| tube screen suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2 | | 103442 | 03 |
| connection tube with cross louver suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2 | | 103439 | 04 |
| visor suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2 | | 104748 | 05 |



Additional optional accessory components

| description accessory general | dimensions in mm | item number | pic.-No. |
|------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------|----------|
| soft.shape lens for spotlights gin.a, gin.o and lo.nely size 2 | Ø: 74 | 104228 | 01 |
| soft.spot lens for spotlights gin.a, gin.o and lo.nely size 2 | Ø: 74 | 103461 | 01 |
| sculpture lens for spotlights gin.a, gin.o and lo.nely size 2 | Ø: 74 | 103460 | 02 |
| prismatic glass for spotlights gin.a, gin.o and lo.nely size 2 | Ø: 74 | 104915 | 03 |
| honeycomb louver for spotlights gin.a, gin.o and lo.nely size 2 | | 103448 | 04 |
| Dichroitic conversion filter daylight filter, conversion from 3000K to 5000K for spotlights gin.a, gin.o and lo.nely size 2 | Ø: 74 | 103459 | 05 |
| Dichroitic conversion filter neutral filter, conversion from 3000K to 4000K for spotlights gin.a, gin.o and lo.nely size 2 | Ø: 74 | 103458 | 06 |
| Dichroitic conversion filter warm tone filter, conversion from 3000K to 2400K for spotlights gin.a, gin.o and lo.nely size 2 | Ø: 74 | 103457 | 07 |

112 247 14 906
accessory



Possible optional accessories combinations

| item number | 103448 | 103457 | 103458 | 103459 | 103460 | 103461 | 104228 | 104915 |
|-------------|--------|--------|--------|--------|--------|--------|--------|--------|
| 103438 | | | | | | | | |
| 103445 | X | X | X | X | X | X | X | X |
| 103442 | X | | | | | | | |
| 103439 | X | | | | | | | |
| 104748 | | | | | | | | |