




**112 270 12 906 | silver**

gin.o 2

spotlight

LED COB | 18 W 2700 K



- spotlight gin.o 2
- with 3 circuit universal adapter
- for Hoffmeister control.x tracks
- circuit selection is possible while adapter is inserted into the track
- passive thermo management
- with LED COB 2000 lm
- colour temperature: 2700 K
- colour rendering index: CRI >90
- L90 / B10 (50.000h)
- SDCM < 2
- net luminous flux: 1440 lm
- total load: 18 W
- luminous efficacy: 80,0 lm/W
- rotationsymmetrical light distribution, spot
- reflector of aluminium, silver anodised
- LED power unit integrated in adapter, electronic (POTI), 220-240 V, 0/50/60 Hz
- amplitude dimming
- adapter with integrated potentiometer
- dimming range: 100-1 %
- housing of die cast aluminium
- adapter of fibreglass reinforced thermoplastic
- color-, protection- and conversion-filters are available as accessory
- length: 221 mm, width: 52 mm, height: 182 mm
- rotatable 360°, 90° tiltable
- weight: 1,09 kg
- protection rating: IP20
- protection class I
- 5 years Hoffmeister warranty
- Made in Germany
- maximum ambient temperature: 35 ° C
- certificates: manufactured according to DIN VDE 0711 / EN 60598, CE
- colour: silver
- 112 270 12 906


- Overview of accessories on the following page / s

112 270 12 906

accessory

### Optional accessories

description accessory general	dimensions in mm	item number	pic.-No.
antiglare flaps for spotlights gin.a, gin.o and lo.nely size 2		103438	01
changable reflector flood for gin.o 2		112 272 00 000	02
changable reflector medium for gin.o 2		112 271 00 000	02
connection ring suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		103445	03
tube screen suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		103442	04
connection tube with cross louver suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		103439	05
visor suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		104748	06



### Additional optional accessory components

description accessory general	dimensions in mm	item number	pic.-No.
soft.shape lens for spotlights gin.a, gin.o and lo.nely size 2	∅: 74	104228	01
soft.spot lens for spotlights gin.a, gin.o and lo.nely size 2	∅: 74	103461	01
sculpture lens for spotlights gin.a, gin.o and lo.nely size 2	∅: 74	103460	02
prismatic glass for spotlights gin.a, gin.o and lo.nely size 2	∅: 74	104915	03
honeycomb louver for spotlights gin.a, gin.o and lo.nely size 2		103448	04
Dichroitic conversion filter daylight filter, conversion from 3000K to 5000K for spotlights gin.a, gin.o and lo.nely size 2	∅: 74	103459	05
Dichroitic conversion filter neutral filter, conversion from 3000K to 4000K for spotlights gin.a, gin.o and lo.nely size 2	∅: 74	103458	06
Dichroitic conversion filter warm tone filter, conversion from 3000K to 2400K for spotlights gin.a, gin.o and lo.nely size 2	∅: 74	103457	07

112 270 12 906  
accessory



**Possible optional accessories combinations**

item number	103448	103457	103458	103459	103460	103461	104228	104915
103438								
112 272 00 000								
112 271 00 000								
103445	X	X	X	X	X	X	X	X
103442	X							
103439	X							
104748								