




112 271 14 910 | white

gin.o 2

spotlight

LED COB | 14 W 4000 K




- spotlight gin.o 2
- with 3 circuit universal adapter
- for Hoffmeister control.x tracks
- circuit selection is possible while adapter is inserted into the track
- passive thermo management
- with LED COB 2000 lm
- colour temperature: 4000 K
- colour rendering index: CRI >90
- L90 / B10 (50.000h)
- SDCM < 2
- net luminous flux: 1500 lm
- total load: 14 W
- luminous efficacy: 107,1 lm/W
- rotationsymmetrical light distribution, medium
- reflector of aluminium, silver anodised
- LED power unit integrated in adapter, electronic (POTI), 220-240 V, 0/50/60 Hz
- amplitude dimming
- adapter with integrated potentiometer
- dimming range: 100-1 %
- housing of die cast aluminium
- adapter of fibreglass reinforced thermoplastic
- color-, protection- and conversion-filters are available as accessory
- length: 221 mm, width: 52 mm, height: 182 mm
- rotatable 360°, 90° tiltable
- weight: 1,09 kg
- protection rating: IP20
- protection class I
- 5 years Hoffmeister warranty
- Made in Germany
- maximum ambient temperature: 35 ° C
- certificates: manufactured according to DIN VDE 0711 / EN 60598, CE
- colour: white (RAL9016)
- 112 271 14 910

- Overview of accessories on the following page / s

112 271 14 910
accessory

Optional accessories

description accessory general	dimensions in mm	item number	pic.-No.
antiglare flaps for spotlights gin.a, gin.o and lo.nely size 2		103438	01
changable reflector flood for gin.o 2		112 272 00 000	02
changable reflector spot for gin.o 2		112 270 00 000	02
connection ring suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		103446	03
tube screen suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		103443	04
connection tube with cross louver suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		103440	05
visor suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		104749	06



Additional optional accessory components

description accessory general	dimensions in mm	item number	pic.-No.
soft.shape lens for spotlights gin.a, gin.o and lo.nely size 2	∅: 74	104228	01
soft.spot lens for spotlights gin.a, gin.o and lo.nely size 2	∅: 74	103461	01
sculpture lens for spotlights gin.a, gin.o and lo.nely size 2	∅: 74	103460	02
prismatic glass for spotlights gin.a, gin.o and lo.nely size 2	∅: 74	104915	03
honeycomb louver for spotlights gin.a, gin.o and lo.nely size 2		103448	04
Dichroitic conversion filter daylight filter, conversion from 3000K to 5000K for spotlights gin.a, gin.o and lo.nely size 2	∅: 74	103459	05
Dichroitic conversion filter neutral filter, conversion from 3000K to 4000K for spotlights gin.a, gin.o and lo.nely size 2	∅: 74	103458	06
Dichroitic conversion filter warm tone filter, conversion from 3000K to 2400K for spotlights gin.a, gin.o and lo.nely size 2	∅: 74	103457	07

112 271 14 910
accessory



Possible optional accessories combinations

item number	103448	103457	103458	103459	103460	103461	104228	104915
103438								
112 272 00 000								
112 270 00 000								
103446	X	X	X	X	X	X	X	X
103443	X							
103440	X							
104749								