

### **HOFFMEISTER**







| LED 3 | 000K 20 | <b>₹</b> 14° |      |  |  |  |  |  |
|-------|---------|--------------|------|--|--|--|--|--|
| h     | CO      | C90          | Em   |  |  |  |  |  |
| [m]   | Ø[m]    | Ø[m]         | [lx] |  |  |  |  |  |
| 1.0   | 0.25    | 0.49         | 6744 |  |  |  |  |  |
| 2.0   | 0.49    | 0.99         | 1686 |  |  |  |  |  |
| 3.0   | 0.74    | 1.48         | 749  |  |  |  |  |  |
| 4.0   | 0.98    | 1.98         | 422  |  |  |  |  |  |
| 5.0   | 1.23    | 2.47         | 270  |  |  |  |  |  |
|       |         |              |      |  |  |  |  |  |
|       |         |              |      |  |  |  |  |  |
|       |         |              |      |  |  |  |  |  |

#### 112 336 13 906 | silver

gin.o 3 | oval flood floodlight LED | 28 W 3000 K



- floodlight gin.o 3 oval flood
- with 3 circuit universal adapter
- for Hoffmeister control.x tracks
- circuit selection is possible while adapter is inserted into the track
- with horizontal oval.flood light distribution
- passive thermo management
- with LED 2400 lm
- colour temperature: 3000 K
- colour rendering index: CRI >90
- L90 / B10 (50.000h)
- SDCM < 2
- net luminous flux: 2000 lm
- total load: 28 W
- luminous efficacy: 71,4 lm/W
- oval flood horizontal LED power unit integrated in adapter, electronic (POTI)
- amplitude dimming
- adapter with integrated potentiometer
- dimming range: 100-1 %
- housing of die cast aluminium
- adapter of fibreglass reinforced thermoplastic
- microprismatic filter with very high rate of light transmission
- color-, protection- and conversion-filters are available as accessory
- length: 221 mm, width: 84 mm, height: 238 mm rotatable 360°, 90° tiltable
- weight: 1,7 kg
- protection rating: IP20
- protection class I
- 5 years Hoffmeister warranty
- Made in Germany
- maximum ambient temperature: 35 ° C
- certificates: manufactured according to DIN VDE 0711 / EN 60598, CE
- colour: silver
- 112 336 13 906
- Overview of accessories on the following page / s

## **HOFFMEISTER**

112 336 13 906 **accessory** 

#### Optional accessories

| description accessory general  | dimensions in mm | item number | picNo. |
|--|------------------|-------------|--------|
| antiglare flaps<br>for spotlights gin.o and lo.nely size 3   |                  | 105757      | 01     |
| connection ring<br>suitable for attachment of accessories<br>for spotlights gin.o and lo.nely size 3                   |                  | 105760906   | 02     |
| tube screen<br>suitable for attachment of accessories<br>for spotlights gin.o and lo.nely size 3                       |                  | 105759906   | 03     |
| connection tube with cross louver<br>suitable for attachment of accessories<br>for spotlights gin.o and lo.nely size 3 |                  | 105758906   | 04     |
| visor<br>suitable for attachment of accessories<br>for spotlights gin.o and lo.nely size 3                             |                  | 105783906   | 05     |











#### Additional optional accessory components

| description accessory general                               | dimensions in mm | item number | picNo. |
|---|------------------|-------------|--------|
| soft.shape lens<br>for spotlights gin.o and lo.nely size 3  | Ø: 100           | 105782      | 01     |
| sculpture lens<br>for spotlights gin.o and lo.nely size 3   | Ø: 100           | 105773      | 02     |
| prismatic glass<br>for spotlights gin.o and lo.nely size 3  | Ø: 100           | 105775      | 03     |
| honeycomb louver<br>for spotlights gin.o and lo.nely size 3 |                  | 105761721   | 04     |
| soft.spot lens<br>for spotlights gin.o and lo.nely size 3   | Ø: 100           | 105774      | 01     |









# **HOFFMEISTER**

112 336 13 906 **accessory** 

#### Possible optional accessories combinations

| item number | 105761721 | 105773 | 105774 | 105775 | 105782 |
|-------------|-----------|--------|--------|--------|--------|
| 105757      |           |        |        |        |        |
| 105760906   | Х         | Х      | Χ      | Χ      | Х      |
| 105759906   | Х         |        |        |        |        |
| 105758906   | Х         |        |        |        |        |
| 105783906   |           |        |        |        |        |