
HOFFMEISTER







| LED 3 | 000K 2040lm | ∢ 14° |
|-------|-------------|--------------|
| h | CO | Em |
| [m] | Ø[m] | [lx] |
| 1.0 | 0.25 | 17106 |
| 2.0 | 0.51 | 4277 |
| 3.0 | 0.76 | 1901 |
| 4.0 | 1.01 | 1069 |
| 5.0 | 1.26 | 684 |
| | | |
| | | |
| | | |

11332213 906-PA | silver

lo.nely 3 spotlight LED | 28 W 3000 K



- spotlight lo.nely 3
- with recessed mounting plate
- for recessed installation into wall or ceiling
- passive thermo management
- with LED 2400 lm
- colour temperature: 3000 K
- colour rendering index: CRI >90 L90 / B10 (50.000h)
- SDCM < 2
- net luminous flux: 2040 lm
- total load: 28 W
- luminous efficacy: 72,9 lm/W
- rotationsymmetrical light distribution, spot
- beam angle: 15 °
- with external LED power unit, electronic
- power supply: supply cord with plug connection 2x5x2,5 mm², length: 360 mm
- suitable for through wiring
- housing of die cast aluminium microprismatic filter with very high rate of light transmission
- ceiling plate of die cast aluminium
- color-, protection- and conversion-filters are available as accessory
- diameter: 96 mm, recessing diameter: 83 mm
- recessing depth: 103 mm, ceiling thickness: 1-45 mm
- rotatable 360°, 90° tiltable (can be fixed)
- weight: 1,4 kg
- protection rating: IP20
- protection class I
- 5 years Hoffmeister warranty
- Made in Germany
- maximum ambient temperature: 35 ° C
- certificates: manufactured according to DIN VDE 0711 / EN 60598, CE
- colour: silver
- 11332213 906-PA
- Overview of accessories on the following page / s

HOFFMEISTER

11332213 906-PA **accessory**

Required accessories

| description accessory general | dimensions in mm | item number | picNo. |
|--|------------------|-------------|--------|
| antiglare flaps for spotlights gin.o and lo.nely size 3 | | 105757 | 01 |



Optional accessories

| description accessory general | dimensions in mm | item number | picNo. |
|--|------------------|-------------|--------|
| connection ring suitable for attachment of accessories for spotlights gin.o and lo.nely size 3 | | 105760906 | 01 |
| tube screen suitable for attachment of accessories for spotlights gin.o and lo.nely size 3 | | 105759906 | 02 |
| connection tube with cross louver suitable for attachment of accessories for spotlights gin.o and lo.nely size 3 | | 105758906 | 03 |
| visor suitable for attachment of accessories for spotlights gin.o and lo.nely size 3 | | 105783906 | 04 |









Additional optional accessory components

| dimensions in mm | item number | picNo. |
|------------------|----------------------------|---|
| Ø: 100 | 105782 | 01 |
| Ø: 100 | 105773 | 02 |
| Ø: 100 | 105775 | 03 |
| | 105761721 | 04 |
| Ø: 100 | 105774 | 01 |
| | Ø: 100 Ø: 100 Ø: 100 | Ø: 100 105782 Ø: 100 105773 Ø: 100 105775 105761721 |

HOFFMEISTER

11332213 906-PA **accessory**









Possible optional accessories combinations

| item number | 105761721 | 105773 | 105774 | 105775 | 105782 |
|-------------|-----------|--------|--------|--------|--------|
| 105757 | | | | | |
| 105760906 | Х | Х | Χ | Χ | Х |
| 105759906 | Х | | | | |
| 105758906 | Х | | | | |
| 105783906 | | | | | |