
HOFFMEISTER







| 7-12300 CO/KUD-7-H0F11250 | | | |
|---------------------------|-------------|-------|--|
| | | | |
| LED 4 | 000K 2680lm | <114° | |
| h | CO | Em | |
| [m] | Ø[m] | [lx] | |
| 1.0 | 0.25 | 22473 | |
| 2.0 | 0.51 | 5618 | |
| 3.0 | 0.76 | 2497 | |
| 4.0 | 1.01 | 1405 | |
| 5.0 | 1.26 | 899 | |
| | | | |
| | | | |
| | | | |

11332214 910-PA I white

lo.nely 3 spotlight LED | 28 W 4000 K



- spotlight lo.nely 3
- with recessed mounting plate
- for recessed installation into wall or ceiling
- passive thermo management
- with LED 3150 lm
- colour temperature: 4000 K
- colour rendering index: CRI >80 L90 / B10 (50.000h)
- SDCM < 2
- net luminous flux: 2680 lm
- total load: 28 W
- luminous efficacy: 95,7 lm/W
- rotationsymmetrical light distribution, spot
- beam angle: 15 °
- with external LED power unit, electronic
- power supply: supply cord with plug connection 2x5x2,5 mm², length: 360 mm
- suitable for through wiring
- housing of die cast aluminium microprismatic filter with very high rate of light transmission
- ceiling plate of die cast aluminium
- color-, protection- and conversion-filters are available as accessory
- diameter: 96 mm, recessing diameter: 83 mm
- recessing depth: 103 mm, ceiling thickness: 1-45 mm
- rotatable 360°, 90° tiltable (can be fixed)
- weight: 1,4 kg
- protection rating: IP20
- protection class I
- 5 years Hoffmeister warranty
- Made in Germany
- maximum ambient temperature: 35 ° C
- certificates: manufactured according to DIN VDE 0711 / EN 60598, CE
- colour: white (RAL9016)
- 11332214 910-PA
- Overview of accessories on the following page / s

HOFFMEISTER

11332214 910-PA **accessory**

Required accessories

| description accessory general | dimensions in mm | item number | picNo. |
|--|------------------|-------------|--------|
| antiglare flaps for spotlights gin.o and lo.nely size 3 | | 105757 | 01 |



Optional accessories

| description accessory general | dimensions in mm | item number | picNo. |
|--|------------------|-------------|--------|
| connection ring suitable for attachment of accessories for spotlights gin.o and lo.nely size 3 | | 105760910 | 01 |
| tube screen suitable for attachment of accessories for spotlights gin.o and lo.nely size 3 | | 105759910 | 02 |
| connection tube with cross louver suitable for attachment of accessories for spotlights gin.o and lo.nely size 3 | | 105758910 | 03 |
| visor suitable for attachment of accessories for spotlights gin.o and lo.nely size 3 | | 105783910 | 04 |









Additional optional accessory components

| description accessory general | dimensions in mm | item number | picNo. |
|---|------------------|-------------|--------|
| soft.shape lens for spotlights gin.o and lo.nely size 3 | Ø: 100 | 105782 | 01 |
| sculpture lens for spotlights gin.o and lo.nely size 3 | Ø: 100 | 105773 | 02 |
| prismatic glass for spotlights gin.o and lo.nely size 3 | Ø: 100 | 105775 | 03 |
| honeycomb louver for spotlights gin.o and lo.nely size 3 | | 105761721 | 04 |
| soft.spot lens for spotlights gin.o and lo.nely size 3 | Ø: 100 | 105774 | 01 |

HOFFMEISTER

11332214 910-PA **accessory**









Possible optional accessories combinations

| item number | 105761721 | 105773 | 105774 | 105775 | 105782 |
|-------------|-----------|--------|--------|--------|--------|
| 105757 | | | | | |
| 105760910 | Х | Х | Х | Х | Χ |
| 105759910 | Х | | | | |
| 105758910 | Х | | | | |
| 105783910 | | | | | |