




11652212 721-PA | black

lo.nely 2
spotlight
LED | 14 W 2700 K



- spotlight lo.nely 2
- with recessed mounting plate
- for recessed installation into wall or ceiling
- passive thermo management
- with LED 1060 lm
- colour temperature: 2700 K
- colour rendering index: CRI >90
- L90 / B10 (50.000h)
- SDCM < 2
- net luminous flux: 900 lm
- total load: 14 W
- luminous efficacy: 64,3 lm/W
- rotationsymmetrical light distribution, spot
- beam angle: 15 °
- with external LED power unit, electronic, 220-240 V, 50/60 Hz
- Dimming with external dimmers possible (trailing-edge and leading-edge)
- power supply: supply cord with plug connection 2x5x2,5 mm², length: 360 mm
- housing of die cast aluminium
- microprismatic filter with very high rate of light transmission
- ceiling plate of die cast aluminium
- diameter: 96 mm, recessing diameter: 83 mm
- recessing depth: 63 mm, ceiling thickness: 1-45 mm
- rotatable 360°, 95° tiltable (can be fixed)
- weight: 1,3 kg
- protection rating: IP20
- protection class I
- 5 years Hoffmeister warranty
- Made in Germany
- maximum ambient temperature: 35 ° C
- certificates: manufactured according to DIN VDE 0711 / EN 60598, CE
- colour: black
- 11652212 721-PA

- Overview of accessories on the following page / s

11652212 721-PA
accessory

Optional accessories

description accessory general	dimensions in mm	item number	pic.-No.
antiglare flaps for spotlights gin.a, gin.o and lo.nely size 2		103438	01
connection ring suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		103447	02
tube screen suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		103444	03
connection tube with cross louver suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		103441	04
visor suitable for attachment of accessories for spotlights gin.a, gin.o and lo.nely size 2		104750	05



Additional optional accessory components

description accessory general	dimensions in mm	item number	pic.-No.
soft.shape lens for spotlights gin.a, gin.o and lo.nely size 2	Ø: 74	104228	01
soft.spot lens for spotlights gin.a, gin.o and lo.nely size 2	Ø: 74	103461	01
sculpture lens for spotlights gin.a, gin.o and lo.nely size 2	Ø: 74	103460	02
prismatic glass for spotlights gin.a, gin.o and lo.nely size 2	Ø: 74	104915	03
honeycomb louver for spotlights gin.a, gin.o and lo.nely size 2		103448	04
Dichroitic conversion filter daylight filter, conversion from 3000K to 5000K for spotlights gin.a, gin.o and lo.nely size 2	Ø: 74	103459	05
Dichroitic conversion filter neutral filter, conversion from 3000K to 4000K for spotlights gin.a, gin.o and lo.nely size 2	Ø: 74	103458	06
Dichroitic conversion filter warm tone filter, conversion from 3000K to 2400K for spotlights gin.a, gin.o and lo.nely size 2	Ø: 74	103457	07

11652212 721-PA
accessory



Possible optional accessories combinations

item number	103448	103457	103458	103459	103460	103461	104228	104915
103438								
103447	X	X	X	X	X	X	X	X
103444	X							
103441	X							
104750								