




116 541 12 910 | white

lo.nely 4
spotlight
LED | 35 W 2700 K




- spotlight lo.nely 4
- with 3 circuit universal adapter
- for Hoffmeister control.x tracks
- circuit selection is possible while adapter is inserted into the track
- passive thermo management
- with LED 1900 lm
- colour temperature: 2700 K
- colour rendering index: CRI >90
- L90 / B10 (50.000h)
- SDCM < 3
- net luminous flux: 1430 lm
- total load: 35 W
- luminous efficacy: 40,9 lm/W
- narrow spot
- beam angle: 5 °
- LED power unit integrated in adapter, electronic (POTI), 220-240 V, 0/50/60 Hz
- amplitude dimming
- adapter with integrated potentiometer
- dimming range: 100-1 %
- housing of die cast aluminium
- adapter of fibreglass reinforced thermoplastic
- safety glass, clear
- color-, protection- and conversion-filters are available as accessory
- length: 246 mm, width: 93 mm, height: 232 mm
- rotatable 360°, 95° tilttable (can be fixed)
- weight: 2 kg
- protection rating: IP20
- protection class I
- 5 years Hoffmeister warranty
- Made in Germany
- maximum ambient temperature: 35 ° C
- certificates: manufactured according to DIN VDE 0711 / EN 60598, CE
- colour: white (RAL9016)
- 116 541 12 910

- Overview of accessories on the following page / s

116 541 12 910
accessory

Optional accessories

| description accessory general | dimensions in mm | item number | pic.-No. |
|--|------------------|----------------|----------|
| antiglare flaps, 8-leaf barn door with connection ring 11656000721 (black) for spotlights lo.nely size 4 | | 116 564 00 721 | 01 |
| connection ring suitable for attachment of accessories for spotlights lo.nely size 4 | | 116 560 00 910 | 02 |
| tube screen suitable for attachment of accessories for spotlights lo.nely size 4 | | 116 561 00 910 | 03 |
| connection tube with cross louver suitable for attachment of accessories for spotlights lo.nely size 4 | | 116 562 00 910 | 04 |
| visor suitable for attachment of accessories for spotlights lo.nely size 4 | | 116 563 00 910 | 05 |



Additional optional accessory components

| description accessory general | dimensions in mm | item number | pic.-No. |
|---|------------------|----------------|----------|
| honeycomb louver für Strahler lo.nely Größe 4 | | 116 578 00 000 | 01 |
| sculpture lens for spotlights lo.nely size 4 | Ø: 146,5 | 116 571 00 000 | 02 |
| soft.shape lens for spotlights lo.nely size 4 | Ø: 146,5 | 116 570 00 000 | 03 |
| soft.spot lens for spotlights lo.nely size 4 | Ø: 146,5 | 116 574 00 000 | 03 |
| prismatic glass for spotlights lo.nely size 4 | Ø: 146,5 | 116 573 00 000 | 04 |
| wide flood structured glas for spotlights lo.nely size 4 | Ø: 146,5 | 116 572 00 000 | 02 |



116 541 12 910
accessory**Possible optional accessories combinations**

| item number | 116 570 00 000 | 116 571 00 000 | 116 572 00 000 | 116 573 00 000 | 116 574 00 000 | 116 578 00 000 |
|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 116 564 00 721 | | | | | | |
| 116 560 00 910 | X | X | X | X | X | X |
| 116 561 00 910 | | | | | | |
| 116 562 00 910 | | | | | | |
| 116 563 00 910 | | | | | | |